



3 Roof gardens - uninsulated



- 1) VERTICAL ASPHALT AS DESCRIBED IN ROOFING SECTION (TO BE MIN. 150MM ABOVE LANDSCAPED LEVEL)
- 2) SOIL AND VEGETATION
- 3) FILTER MEMBRANE
- 4) DRAINAGE LAYER
- 5) 20/25MM ONE COAT PAVING GRADE MASTIC ASPHALT
- 6) 20MM TWO COAT ROOFING GRADE MASTIC ASPHALT
- 7) GLASS FIBRE TISSUE SEPARATING MEMBRANE
- 8) CEMENTITIOUS SCREED LAID TO FALLS
- 9) CONCRETE DECK

PAVING Pt 1

4 Roof gardens - partly insulated



- 1) VERTICAL ASPHALT AS DESCRIBED IN ROOFING SECTION (TO BE MIN. 150MM ABOVE LANDSCAPED LEVEL)
- 2) SOIL AND VEGETATION
- 3) FILTER MEMBRANE
- 4) DRAINAGE LAYER
- 5) BOARD TYPE THERMAL INSULANT
- 6) NON-WOVEN POLYESTER FLEECE ISOLATING MEMBRANE
- 7) 20/25MM ONE COAT PAVING GRADE MASTIC ASPHALT
- 8) 20MM TWO COAT ROOFING GRADE MASTIC ASPHALT
- 9) GLASS FIBRE TISSUE SEPARATING MEMBRANE
- 10) CEMENTITIOUS SCREED LAID TO FALLS
- 11) CONCRETE DECK